

Specification Guide

November, 2000



Classic Illumination Inc.

2743 Ninth Street

Berkeley, CA 94710-2632

Phone: 510-849-1842

Fax: 510-849-2328

Email: sales@classicillumination.com

Web: www.classicillumination.com

TERMS AND CONDITIONS

PRICING

Prices shown herein are list prices. Designs and prices are subject to change without notice. All shades and castings are subject to availability. We reserve the right to make minor substitutions when necessary. All orders are subject to confirmation by the factory. Lamps are not included with orders.

TERMS

Since all orders are custom made to your specifications, no cancellations, returns or refunds are allowed. **The minimum order is \$1000.00 list.** Orders for less than that amount are subject to a **\$10.00 handling fee.** A fifty percent deposit is required with placement of your order. Work will begin when the deposit is received. The balance is due pro-forma. No COD's. Freight is FOB factory. Sales tax will be added if a completed resale card is not included with your order. Sales tax may not apply if the order is shipped outside of California. Major credit cards accepted.

ORDERING

Please specify the following information on all purchase orders:

1. **MODEL NUMBER** - see specification guide
2. **DESCRIPTION** - in order to confirm model number
3. **OVERALL HEIGHT*** - prices include length up to 36" (excluding shade height, unless otherwise specified) on chandeliers and stems. *For longer lengths add:*
 FINISHED WIRED STEM: **\$2.00/inch** • WIRED CHAIN: **\$1.00/inch** • 3 WIRED STEMS: **\$2.50/inch**
4. **FINISH**** - finish is essential to determining cost


Price Level	Finish Code	Description <i>(Finishes may vary between production runs)</i>
I	PB	Solid brass polished to a high luster, will tarnish naturally
II	PBL	Solid brass, polished, with a clear lacquer coating
III	ABL-1 Gloss	Lightly darkened brass with glossy lacquer
	ABL-1 Matte	Lightly darkened brass with matte lacquer
	ABL-2 Gloss	Rich bronze tones with glossy lacquer
	ABL-2 Matte	Rich bronze tones with matte lacquer
	ABL-3 Gloss	Dark brown, nearly black, with glossy lacquer
	ABL-3 Matte	Dark brown, nearly black, with matte lacquer
	CB	Rich Bronze combined with verdi gris
IV	VG	Verdi gris, turquoise green patina, lacquered
	AG Matte	Gold tone patina with matte lacquer
	AS	Unique antique silver patina with matte finish
	NI	Polished Nickel finish
V	PW Matte	Pewter patina with a matte finish
	BN	Nickel finish with a satin brushed finish






Finish samples available upon request.






5. **SHADES***** - prices do not include shades unless otherwise indicated
 Choose a shade from the appropriate category, and multiply by the correct quantity to figure the total cost for shades. *Note: Fixture dimensions include the shades as drawn.*









TERMS AND CONDITIONS











continued











EXTRAS	Most ceiling canopies are 4 1/2" in diameter. Please ask if this is critical. Canopy switches are \$10.00 extra. Please indicate the placement position. Hang straights (for vaulted ceilings) are an additional \$25.00 per fixture and can be added only at the time your order is constructed.
PL	Fixtures that can be PL adapted are marked as such in the specification guide. Lamp wattage choices include 13 watt, 26 watt, and 42 watt depending on the fit. PL lamps are not included. Please call for specific lamping options.
LEAD TIME	Our fixtures are made to order, and production time is normally four to eight weeks. Rush orders are subject to a 20 percent surcharge (any order required sooner than our normal production schedule allows). We make every effort to meet customer deadlines, but we cannot be responsible for delays beyond our control.
SHIPPING	All freight charges are FOB Berkeley, and are collect, with the exception of UPS shipments. UPS charges are prepaid and added to the invoice. Most chandeliers cannot be shipped UPS.
CUSTOM	We specialize in custom lighting fixtures. If you do not see the fixtures that meet your needs, please give us a call. We will be happy to discuss other possibilities.
ADA	ADA Compliant means that the sconce projection is four inches or less.
UL LABEL	 This symbol means the product is listed by Underwriters Laboratories, Inc.
DAMAGES	All shipments are packed with great care, and delivered to the carrier in excellent condition. Acceptance of a shipment by the carrier constitutes their acknowledgement that the shipment was received in good condition, and that it was properly packed. All damages and shortages should be reported to the carrier immediately, and all boxes, packing materials and damaged merchandise held for inspection. You are responsible for initiating the damage claim with the carrier. This must be done within ten (10) days. No claims will be honored after the ten day period.
WARRANTY	We guarantee our fixtures for one year from the date of purchase from any defects in materials or workmanship. All of our products are made from the finest materials available. You can expect years of service if used properly. Please note the maximum recommended wattage for each of our products in the price list. Do not exceed the maximum. Please note: we do not guarantee against damage caused by over wattage. Any alterations done to our products, including shortening, outside our factory, voids this warranty. During this warranty period, Classic Illumination will repair, at its option and free of charge, products that are proven to be defective. We do not cover shipping costs. This warranty does not apply to damages resulting from alteration, accident, tampering, misuse, negligence or abuse.











	Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	11	GOOSENECK DESK LAMP 6" x 6" x 25" Max. Wattage: 60 watts (A-15)	I II	1	B
	12	DOUBLE TROUGH DESK LAMP 16" x 10 1/4" x 15 1/4" Max. Wattage: 100 watts x 2 (A-19) FULL RANGE DIMMERS, ADD: 64.00	I II III IV V	2	M
	13	TROUGH SHADE DESK LAMP 10 1/2" x 7 1/2" x 15" Max. Wattage: 100 watts (A-19)	I II III IV V	1	M
	13D	TROUGH LAMP WITH DIMMER 10 1/2" x 7 1/2" x 15" Max. Wattage: 100 watts (A-19)	I II III IV V	1	M
	14	DOUBLE GRIFFIN TABLE LAMP WITH BLACK PAPER SHADE 16 3/4" x 10" x 24" Max. Wattage: 60 watts x 2 (G16-1/2)	I II III IV	1	BPS included











	Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	16	ADJUSTABLE TROUGH PIANO LAMP 10 1/2" x 7" x 13 1/2" Max. Wattage:100 watts (A-19)	I II III IV V	1	M
	16D	ADJUSTABLE TROUGH PIANO LAMP WITH DIMMER 10 1/2" x 7" x 13 1/2" Max. Wattage:100 watts (A-19)	I II III IV V	1	M
	17	CONE SHADE DESK LAMP 14" x 14" x 20 1/2" Max. Wattage: 60 watts x 2 (A-15)	I II III IV V	1	F
	18	DOUBLE CONE SHADE DESK LAMP 23" x 10" x 21" Max. Wattage: 60 watts x 2 (A-15 or G-25)	I II III IV V	2	D
	19	NEO CLASSIC TABLE LAMP 15" x 15" x 23 1/2" Max. Wattage:100 watts x 2 (A-19) FULL RANGE DIMMER, ADD: 50.00	I II III IV V	1	15NC included











Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	<p>312</p> <p>TORCHIERE WITH FLAT BRASS BASE (ON/OFF FOOT SWITCH Included)</p> <p>10" x 10" x 62" excluding shade Max. Wattage: 150 watt (A-19, A-23 or Q150)</p> <p>FULL RANGE FOOT DIMMER, ADD: 50.00</p>	<p>I II III IV V</p>	<p>1</p>	<p>E, F, O or Q</p>
				
	<p>412</p> <p>TORCHIERE WITH STEPPED BRASS BASE (ON/OFF FOOT SWITCH Included)</p> <p>10" x 10" x 62" excluding shade Max. Wattage: 150 watt (A-19, A-23 or Q150)</p> <p>FULL RANGE FOOT DIMMER, ADD: 50.00</p>	<p>I II III IV V</p>	<p>1</p>	<p>E, F, O or Q</p>
				
	<p>510</p> <p>TORCHIERE WITH MARBLE BASE (ON/OFF FOOT SWITCH)</p> <p>10" x 10" x 62" excluding shade Max. Wattage: 150 watt (A-19, A-23 or Q150)</p> <p>FULL RANGE FOOT DIMMER, ADD: 50.00</p>	<p>I II III IV V</p>	<p>1</p>	<p>O or Q</p>
				
	<p>610</p> <p>TORCHIERE WITH MARBLE BASE AND CAST GRIFFINS (ON/OFF FOOT SWITCH)</p> <p>10" x 10" x 62" excluding shade Max. Wattage: 150 watt (A-19, A-23 or Q150)</p> <p>FULL RANGE FOOT DIMMER, ADD: 50.00</p>	<p>I II III IV V</p>	<p>1</p>	<p>O or Q</p>
				






Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty ***	Shade Category ***
	1870-2 2 ARM GRIFFIN CHANDELIER 30" x 7 1/2" x * See note on height. Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV	2	400-GR included
				
	1870-3 3 ARM GRIFFIN CHANDELIER 30" x 30" x* See note on height. Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV	3	400-GR included
				
	1870-4 4 ARM GRIFFIN CHANDELIER 30" x 30" x* See note on height. Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV	4	400-GR included
				
	1870-5 5 ARM GRIFFIN CHANDELIER 30" x 30" x* See note on height. Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV	5	400-GR included
				
	1870-6 6 ARM GRIFFIN CHANDELIER 30" x 30" x* See note on height. Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV	5	400-GR included
				











	Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty ***	Shade Category ***
 	1875-1	GRIFFIN WALL SCONCE 7 1/2" x 14" x 17" Max. Wattage: 100 watts (A-19)	I II III IV	1	400-GR included
 	1880-2	2 ARM "GAS" CHANDELIER 30" x 7 1/2" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	2	C
 	1880-3	3 ARM "GAS" CHANDELIER 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	3	C
 	1880-4	4 ARM "GAS" CHANDELIER 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	4	C
 	1880-5	5 ARM "GAS" CHANDELIER 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	5	C











	Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty * * *	Shade Category * * *
	1880-6	6 ARM "GAS" CHANDELIER 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	6	C
					
	1885-1	"GAS" STYLE WALL SCONCE 7 1/2" x 12 1/2" x 11" Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	1	C
					
	1888-2	2 ARM CHANDELIER WITH PRISMS 30" x 7 1/2" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	2	C
					
	1888-3	3 ARM CHANDELIER WITH PRISMS 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	3	C
					
	1888-4	4 ARM CHANDELIER WITH PRISMS 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	4	C
					











	Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
 	1888-5	5 ARM CHANDELIER WITH PRISMS 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	5	C
 	1888-6	6 ARM CHANDELIER WITH PRISMS 30" x 30" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	6	C
 	1889-1	"GAS" STYLE WALL SCONCE WITH PRISMS 7 1/2" x 12 1/2 x 13 Max. Wattage: 100 watt (A-15 or A-19)	I II III IV V	1	C
 	1889-2	TWO ARM "GAS" STYLE WALL SCONCE WITH PRISMS 18" x 10" x 13" Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	2	C
 	1891-2	SIMPLE 2 ARM ELECTRIC SCONCE 17 1/4" x 6 1/2" x 10" Max. Wattage: 100 watt x 2 Base Down (A-19) or 60 watt x 2 Base Up (A-15) Can be used up or down	I II III IV V	2	A











Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
 	1893-1 CAST ARM ELECTRIC WALL SCONCE 4 1/2" x 6 1/2" x 10" Max. Wattage: 100 watt Base Down (A-19) or 60 watt Base Up (A-15) Can be used up or down	I II III IV V	1	A
 	1897-1 DECORATIVE ELECTRIC SCONCE 5 1/4" x 9 3/4" x 10" Max. Wattage: 100 watt Base Down (A-19) or 60 watt Base Up (A-15) Can be used up or down	I II III IV V	1	A
 	1900-1 PENDANT FIXTURE *See note on height Max. Wattage: 150 watt (A-19, A-19SB, A-21 or G-25) PL Call for lamping options and pricing	I II III IV V	1	D,E,F,H or J
 	1900-1 PENDANT FIXTURE WITH 6" FITTER *See note on height Max. Wattage: 150 watt (A-19, A-19SB, A-21 or G-25) PL Call for lamping options and pricing	I II III IV V	1	K
 	1902-1 CHAIN FIXTURE *See note on height Max. Wattage: 60 watts (A-15, A-19, A-19SB or G-25) PL Call for lamping options and pricing	PBL ABL-2 NI	1	D,E,F,H or J











	Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	1902-1	CHAIN FIXTURE WITH 6" FITTER *See note on height Max. Wattage: 60 watts (A-15, A-19, A-19SB or G-25) PL Call for lamping options and pricing	PBL ABL-2 NI	1	K
	1904-2	2 ARM ELECTROLIER 30" x 10" x *See note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	2	A or D
	1904-3	3 ARM ELECTROLIER 30" x 30" x *see note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	3	A or D
	1904-4	4 ARM ELECTROLIER 30" x 30" x *see note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	4	A or D
	1904-5	5 ARM ELECTROLIER 30" x 30" x *see note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	5	A or D











	Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty ***	Shade Category ***
	1905-1	WALL SCONCE WITH DECORATIVE OVAL BACKPLATE 5" x 6" x 11 1/2" Max. Wattage: 100 watt Base Down (A-19) or 60 watt Base Up (A-15) Can be used up or down	I II III IV V	1	A
					
	1906-2	2 ARM ART NOUVEAU CHANDELIER 36" x 5" x *see note on height Max. Wattage: 60 watts per arm (A-15)	I II III IV V	2	A
					
	1906-3	3 ARM ART NOUVEAU CHANDELIER 36" x 36" x *see note on height Max. Wattage: 60 watts per arm (A-15)	I II III IV V	3	A
					
	1906-4	4 ARM ART NOUVEAU CHANDELIER 36" x 36" x *see note on height Max. Wattage: 60 watts per arm (A-15)	I II III IV V	4	A
					
	1906-5	5 ARM ART NOUVEAU CHANDELIER 36" x 36" x *see note on height Max. Wattage: 60 watts per arm (A-15)	I II III IV V	5	A
					











	Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty ***	Shade Category ***
	1906-6	6 ARM ART NOUVEAU CHANDELIER 36" x 36" x *see note on height Max. Wattage: 60 watts per arm (A-15)	I II III IV V	6	A
					
	1908-1	TRADITIONAL COLLAR FIXTURE 12" x 12" x 10 3/4" as shown Max. Wattage: 100 watts (A-19)	I II III IV V	1	A, C, D, E, F, H or J
	PL	Call for lamping options and pricing			
	1909-1	SIMPLE COLLAR FIXTURE 5" x 9" x 5" as shown Max. Wattage: 60 watts (A-15)	I II III IV V	1	B
		Specify ceiling or wall mount			
	1909-1	SIMPLE COLLAR WITH 6" FITTER 14" x 14" x 11" as shown Max. Wattage: 100 watts (A-19)	I II III IV V	1	K
	PL	Call for lamping options and pricing			
	1910-2	LINEAR T-BAR WITH 2 SHADES 34" x 10" x *See note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	2	D
					











Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
1910-3	TRIANGULAR T-BAR WITH 3 SHADES 31" x 31" x *See note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	3	D
				
1910-4	SQUARE T-BAR WITH 4 SHADES 34" x 34" x *see note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	4	D
				
1911-1	WALL SCONCE WITH CONE SHADE 10" x 10 1/2" x 8 1/2" Max. Wattage: 60 watts (A-15, A-19, A-19SB or G-25)	I II III IV V	1	A or D
				
1912-3	LINEAR T-BAR WITH 3 SHADES 40" x 10" x *see note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	3	D
				
1912-4	RECTANGULAR T-BAR WITH 4 SHADES 40" x 34" x *See note on height Max. Wattage: 60 watts per arm (A-15, A-19, A-19SB or G-25)	I II III IV V	4	D
				











Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty ***	Shade Category ***
1913-1	 <p>WALL SCONCE WITH TROUGH SHADE</p> <p>9 1/2" x 11" x 5"</p> <p>Max. Wattage: 60 watts (A-19)</p> <p></p>	I II III IV V	1	M
1913-1D	 <p>WALL SCONCE WITH TROUGH SHADE AND SOCKET DIMMER</p> <p>9 1/2" x 11" x 5"</p> <p>Max. Wattage: 60 watts (A-19)</p> <p></p>	I II III IV V	1	M
1915-1	 <p>SINGLE ARM MISSION SCONCE</p> <p>4 1/2" x 7 1/4" x 8 1/4"</p> <p>Max. Wattage: 100 watt Base Down (A-19) or 60 watt Base Up (A-15)</p> <p>Can be used up or down</p> <p></p>	I II III IV V	1	A
1915-2	 <p>DOUBLE ARM MISSION SCONCE</p> <p>15" x 7 1/4" x 8 1/4"</p> <p>Max. Wattage: 100 watt x 2 Base Down (A-19) or 60 watt x 2 Base Up (A-15)</p> <p>Can be used up or down</p> <p></p>	I II III IV V	2	A
1915-3	 <p>TRIPLE ARM MISSION SCONCE</p> <p>26 1/2" x 7 1/4" x 8 1/4"</p> <p>Max. Wattage: 100 watt x 3 Base Down (A-19) or 60 watt x 3 Base Up (A-15)</p> <p>Can be used up or down</p> <p></p>	I II III IV V	3	A











Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	1920-1 *See note on height and shade for width Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	I II III IV V	1	I
	PL Call for lamping options and pricing			
	1921-10 12" x 12" x 8" Max. Wattage: 60 watts x 2 (A-19)	I II III IV V	1	10ED included
	PL Call for lamping options and pricing			
	1921-12 14" x 14" x 8" Max. Wattage: 60 watts x 3 (A-19)	I II III IV V	1	12ED included
	PL Call for lamping options and pricing			
	1922-1 12" x 12" x 13" Max. Wattage: 100 watts (A-19)	I II III IV V	1	L or O
				
	1923-1 5 1/2" X 6 3/4" X 7 1/2" Max. Wattage: 60 watts (A-15)	I II III IV V	1	A
				











Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
 	1924-1 CLOSE TO THE CEILING CHAIN HUNG FIXTURE 13" x 13" x 9 1/2" Max. Wattage: 100 watts (A-19)	I II III IV V	1	W
 	1926-1 SURFACE MOUNT FIXTURE BACKPLATE IS NICKEL KNOBS ANY FINISH 13" x 13" x 5" Max. Wattage: 60 watts x 2 (A-19)	ALL	1	W
 	1925-1 ATHENA SCONCE 14" x 10" x 8" Max. Wattage: 60 watts (A-19)	I II III IV	1	14FADH included
 	1929-1 ATHENA TRIPOD FIXTURE WITH 24" SHADE 24" x 24" x *See note on height Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	I II III IV	1	24FAD included
 	1929-1 ATHENA TRIPOD FIXTURE WITH 36" SHADE 36" x 36" x *See note on height Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	I II III IV	1	36FAD included









Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	1929-1 ATHENA TRIPOD FIXTURE WITH 48" SHADE 48" x 48" x *See note on height Max. Wattage: 150 watt x 6 (A-19, A-21 or Q150)	I II III IV	1	48FAD included
	PL Call for lamping options and pricing			
	1930-1 DECO STEM FIXTURE *See note on height Max. Wattage: 150 watt (A-19, A-19SB, A-21 or G-25)	I II III IV V	1	D, E, F, H or J
	PL Call for lamping options and pricing Finishes can be combined - use higher priced finish			
	1930-1 DECO STEM FIXTURE WITH 6" FITTER *See note on height Max. Wattage: 150 watt (A-19, A-19SB, A-21 or G-25)	I II III IV V	1	K
	PL Call for lamping options and pricing Finishes can be combined - use higher priced finish			
	1932-1 3 STEMMED DECO FIXTURE *See note on height - see shade for width Max. Wattage: 150 watt (A-19)	I II III IV V	1	J
	PL Call for lamping options and pricing			
	1933-1 FRENCH DECO WALL SCONCE WITH FROSTED SHADE 9" x 5" x 12 1/2" Max. Wattage: 60 watts (A-15)	BPL IV	1	ADH included
	PL Call for lamping options and pricing			

Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
 	1935-1 DECO INSPIRED CONTEMPORARY WALL SCONCE 9 1/2" x 12" x 9" Max. Wattage: 150 w Base Down (A-19 or Q150) or 60 w Base Up (A-15)	I II III IV V	1	A
 	1935-2 TWO ARM DECO INSPIRED CONTEMPORARY WALL SCONCE 21 1/2" x 11 1/4" x 6 1/2" Max. Wattage: 150 w Base Down (A-19 or Q150) or 60 w Base Up (A-15)	I II III IV V	2	A
 	1936-15NC INVERTED NEO-CLASSIC STYLED CEILING FIXTURE WITH ETCHED SHADE 15 3/4" x 15 3/4" x 11" Max. Wattage: 100 watts x 2 (A-19)	I II III IV V	1	15NC included
 	1937-1 GEOMETRIC STYLED GLASS WALL SCONCE 12" x 6" x 6" Max. Wattage: 100 watts (A-19)		1	12DDH included
	PL Call for lamping options and pricing			
 	1939-1 INVERTED OPAL DISH FIXTURE 19" x 19" x 12" Max. Wattage: 100 watts x 2 (A-19)	I II III IV V	1	19WD included
	PL Call for lamping options and pricing			

	Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty ***	Shade Category ***
	1980-1	TRUMPET STEM FIXTURE *See note on height Max. Wattage: 150 watt (A-19, A-19SB, A-21 or G-25)	I II III IV V	1	D, E, F, H, J, L or R
					
	1980-1	TRUMPET STEM FIXTURE WITH 6" FITTER *See note on height Max. Wattage: 150 watt (A-19, A-19SB, A-21 or G-25)	I II III IV V	1	K
		PL Call for lamping options and pricing			
	1982-1	15" BASKET CHAIN FIXTURE 15" x 15" x 12" plus chain *See height Max. Wattage:100 watts (A-19 or A-19SB)	PB PBL ABL-2 CB VG NI	1	R
					
	1984-8	8" CRYSTAL RIBBED WALL SHIELD 8" x 4 1/2" x 5" Max. Wattage: 60 watts (G-16 1/2)	I II III IV V	1	S
					
	1985-1	FRENCH GLASS WALL SHIELD 10" x 5" x 10" Max. Wattage:100 watts (A-19)	I II III IV V	1	P
		PL Call for lamping options and pricing ADA compliant with 8MWH shade			

	Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	1986-1	CONTEMPORARY PENDANT *See note on height Max. Wattage: 150 watt (A-21 or G-25)	I II III IV V	1	L, O or R
					
	1987-12	12" CRYSTAL RIBBED QUARTER SPHERE 12" x 6" x 7" Max. Wattage: 150 watt (A-19, A-23 or Q150)	I II III IV V	1	T
	PL	Call for lamping options and pricing			
	1987-15	15" CRYSTAL RIBBED QUARTER SPHERE 15" x 7 1/2" x 9" Max. Wattage: 150 watt (A-19, A-23 or Q150)	I II III IV V	1	U
	PL	Call for lamping options and pricing			
	1988-1	OPAL GLASS DISH CABLE HUNG FIXTURE 19" x 19" x *See note on height Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	I II III IV V	1	19WD included
	PL	Call for lamping options and pricing			
	1989-1	INVERTED STEM FIXTURE 15" x 15" x *See note on height Max. Wattage: 150 watt x 2 (A-19, A-21 or Q150)	I II III IV V	1	R
	PL	Call for lamping options and pricing			




Model	Description Dimensions (WxDxH)*	Finish **	Shade Qty ***	Shade Category ***
	1990-1 NEO CLASSIC FIXTURE 19" x 19" x *See note on height Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	I II III IV V	1	19WD included
	PL Call for lamping options and pricing			
	1991-2 2 ARM CONTEMPORARY BAR FIXTURE 35" x 8" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	2	A or D
				
	1991-3 3 ARM CONTEMPORARY BAR FIXTURE 35" x 35" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	3	A or D
				
	1991-4 4 ARM CONTEMPORARY BAR FIXTURE 35" x 35" x *See note on height Max. Wattage: 100 watt per arm (A-15 or A-19)	I II III IV V	4	A or D
				
	1992-1 CONTEMPORARY DISH FIXTURE *See note on height - see shade for width Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	I II III IV V	1	X
	PL Call for lamping options and pricing			

	Model	Description Dimensions (WxDxH)*	Finish * *	Shade Qty ***	Shade Category ***
	1993-1	HALOGEN PENDANT *See note on height Max Wattage: 75 watt line voltage MR16 lamp included	I II III IV V	1	BFA or BMW included
					
	1996-1	TRIPOD WITH DROP *See note on height - see shade for width Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	I II III IV V	1	X
		PL Call for lamping options and pricing			
	1997-1	ADA WALL SCONCE WITH WHITE BACK PLATE 13" x 4" x 6" Max. Wattage: 60 watts x 2 (Candelabra base)	WHITE	1	V
		PL Call for lamping options and pricing			
	1998-1	CABLE HUNG FIXTURE *See note on height Max. Wattage: 150 watt x 3 (A-19, A-21 or Q150)	ALL	1	X
		PL Call for lamping options and pricing			





























SHADE CHOICES BY CATEGORIES

Shade Category	Model # Description	Size	Shade Category	Model # Description	Size
A	 225-6CD 6" Crystal Ribbed Dome	Fitter: 2 1/4" Diam: 6" Height: 3 1/2"	A	 225-HLF Frosted Crystal Ribbed	Fitter: 2 1/4" Diam: 5" Height: 4 1/4"
A	 225-6CDF 6" Frosted Crystal Ribbed Dome	Fitter: 2 1/4" Diam: 6" Height: 3 1/2"	A	 225-M Etched Pattern	Fitter: 2 1/4" Diam: 5" Height: 4 1/2"
A	 225-6FD 6" Frosted Crystal Dome - no ribs	Fitter: 2 1/4" Diam: 6" Height: 3 1/2"	A	 225-MB Alabaster Style Glass	Fitter: 2 1/4" Diam: 8 3/4" Height: 3 1/2"
A	 225-6FDE 6" Custom Etched Pattern	Fitter: 2 1/4" Diam: 6" Height: 3 1/2"	A	 225-U Classic Revival	Fitter: 2 1/4" Diam: 4 1/2" Height: 4 1/2"
A	 225-8CD 8" Crystal Ribbed Dome	Fitter: 2 1/4" Diam: 8 1/2" Height: 4 1/2"	A	 225-WB Large White Bell	Fitter: 2 1/4" Diam: 5" Height: 6 1/2"
A	 225-8CDF 8" Frosted Crystal Ribbed Dome	Fitter: 2 1/4" Diam: 8 1/2" Height: 4 1/2"	A	 225-WPF Small White Frosted Bell	Fitter: 2 1/4" Diam: 4 1/2" Height: 5"
A	 225-CC Crystal Cone	Fitter: 2 1/4" Diam: 6" Height: 4 3/8"	A	 225-WS White Stepped	Fitter: 2 1/4" Diam: 9 3/8" Height: 3 5/8"
A	 225-CCF Frosted Crystal Cone	Fitter: 2 1/4" Diam: 6" Height: 4 3/8"	B	 225-GH Green Half Shade	Fitter: 2 1/4" Diam: 6" Height: 4 5/8"
A	 225-FC Frosted Cone	Fitter: 2 1/4" Diam: 6" Height: 4 3/8"	B	 225-WH White Half Shade	Fitter: 2 1/4" Diam: 6" Height: 4 5/8"
A	 225-FCE Custom Etched Pattern	Fitter: 2 1/4" Diam: 6" Height: 4 3/8"	C	 400-E Etched Floral Pattern Gas Style	Fitter: 4" Diam: 7 1/2" Height: 4"
A	 225-FS French Satin	Fitter: 2 1/4" Diam: 4" Height: 5 1/4"	C	 400-GR Etched Griffin Pattern Gas Style	Fitter: 4" Diam: 7 1/2" Height: 4"
A	 225-GR Etched Griffin	Fitter: 2 1/4" Diam: 5 5/8" Height: 4 1/4"	C	 400-HL Crystal Ribbed Gas Style	Fitter: 4" Diam: 7" Height: 3 3/4"
A	 225-HF Frosted	Fitter: 2 1/4" Diam: 5" Height: 4 1/4"	C	 400-R Rose Pattern Gas Style	Fitter: 4" Diam: 7 1/8" Height: 4 3/8"
A	 225-HFE Custom Etched Pattern	Fitter: 2 1/4" Diam: 5" Height: 4 1/4"	D	 10CC 10" Crystal Cone	Fitter: 2 1/4" Diam: 10" Height: 4 1/2"
A	 225-HL Crystal Ribbed	Fitter: 2 1/4" Diam: 5" Height: 4 1/4"	D	 10CCF 10" Frosted Crystal Cone	Fitter: 2 1/4" Diam: 10" Height: 4 1/2"

SHADE CHOICES BY CATEGORIES

Shade Category	Model # Description	Size	Shade Category	Model # Description	Size
D	 10GC 10" Green Cased Glass Cone	Fitter: 3 1/4" Diam: 10" Height: 4 1/2"	J	 12SH 12" Schoolhouse	Fitter: 4" Diam: 12" Height: 7"
D	 10WC 10" White Cone	Fitter: 3 1/4" Diam: 10" Height: 4 1/2"	J	 9SD Small Deco	Fitter: 4" Diam: 8 1/2" Height: 7"
E	 12CC 12" Crystal Cone	Fitter: 3 1/4" Diam: 12" Height: 5 3/4"	K	 12MSH 12" Mushroom	Fitter: 6" Diam: 12" Height: 7 1/4"
E	 12CCF 12" Frosted Crystal Cone	Fitter: 3 1/4" Diam: 12" Height: 5 3/4"	K	 12WE 12" Wedding Cake	Fitter: 6" Diam: 12" Height: 8"
F	 14GC 14" Green Cased Glass Cone	Fitter: 4" Diam: 14" Height: 6"	K	 14MSH 14" Mushroom	Fitter: 6" Diam: 14" Height: 8 1/4"
F	 14WC 14" White Cone	Fitter: 4" Diam: 14" Height: 6"	K	 14PD 14" Pointed Deco	Fitter: 6" Diam: 14" Height: 7"
H	 15CC 15" Crystal Cone	Fitter: 3 1/4" Diam: 15" Height: 7 1/4"	K	 14PDL 14" Pointed Deco with Black Lines	Fitter: 6" Diam: 14" Height: 7"
H	 15CCF 15" Frosted Crystal Cone	Fitter: 3 1/4" Diam: 15" Height: 7 1/4"	K	 14SH 14" Schoolhouse	Fitter: 6" Diam: 14" Height: 8 1/4"
I	 10ED Classic Revival Dish	Fitter: 10" Diam: 12" Height: 6"	K	 14WE 14" Wedding Cake	Fitter: 6" Diam: 14" Height: 10"
I	 12ED Classic Revival Dish	Fitter: 12" Diam: 14" Height: 6 1/2"	K	 14WG 14" White Globe	Fitter: 6" Diam: 14" Height: 14"
I	 16FD French Deco Dish	Fitter: 14" Diam: 16" Height: 6 3/4"	K	 16LD Large Deco	Fitter: 6" Diam: 10" Height: 16"
J	 10FG French Embossed Globe	Fitter: 4 1/4" Diam: 10" Height: 9"	K	 16MSH 16" Mushroom	Fitter: 6" Diam: 16" Height: 9"
J	 10MSH 10" Mushroom	Fitter: 4" Diam: 10" Height: 6"	K	 16PD 16" Pointed Deco	Fitter: 6" Diam: 16" Height: 8 1/2"
J	 10PD 10" Pointed Deco	Fitter: 4" Diam: 10" Height: 5"	K	 16PDL 16" Pointed Deco with Black Lines	Fitter: 6" Diam: 16" Height: 8 1/2"
J	 12PD 12" Pointed Deco	Fitter: 4" Diam: 12" Height: 6"	K	 16SH 16" Schoolhouse	Fitter: 6" Diam: 16" Height: 9"

SHADE CHOICES BY CATEGORIES

Shade Category	Model # Description	Size	Shade Category	Model # Description	Size
K	 16WG 16" White Globe	Fitter: 6" Diam: 16" Height: 16"	O	 10WM 10" White Matte Bell	Fitter: Diam: 10" Height: 9"
K	 18PD 18" Pointed Deco	Fitter: 6" Diam: 18" Height: 10 1/2"	O	 13WM 13" White Matte Bell	Fitter: Diam: 13" Height: 5"
K	 18SH 18" Schoolhouse	Fitter: 6" Diam: 18" Height: 12"	P	 10WMH White Matte Half	Fitter: Diam: 10" Height: 9"
L	 12CD 12" Crystal Ribbed Dome	Fitter: Diam: 12" Height: 5 3/4"	P	 13WMH White Matte Half	Fitter: Diam: 13" Height: 5"
L	 12CDF 12" Frosted Crystal Ribbed Dome	Fitter: Diam: 12" Height: 5 3/4"	P	 8WMH 8" White Matte Half ADA Compliant	Fitter: Diam: 8" Height: 7 1/2"
L	 12FD 12" Frosted Dome	Fitter: Diam: 12" Height: 5 3/4"	Q	 15NC Neo-Classic	Fitter: Diam: 15" Height: 4 3/4"
L	 12FDE Custom Etched Pattern	Fitter: Diam: 12" Height: 5 3/4"	R	 15CD 15" Crystal Ribbed Dome	Fitter: Diam: 15" Height: 7 1/4"
M	 GT Green Cased Glass Trough	Fitter: Diam: 8 3/4" Height: 5 3/4"	R	 15CDF 15" Frosted Crystal Ribbed Dome	Fitter: Diam: 15" Height: 7 1/4"
M	 WT White Trough	Fitter: Diam: 8 3/4" Height: 5 3/4"	R	 15FD 15" Frosted Dome	Fitter: Diam: 15" Height: 7 1/4"
N	 12DDH Geometric Etched Half Shade	Fitter: Diam: 12" Height: 6"	R	 15FDE Custom Etched Pattern	Fitter: Diam: 15" Height: 7 1/4"
N	 19WD White Dish Shade	Fitter: Diam: 19" Height: 4 1/2"	S	 8CH Crystal Ribbed Half Cone	Fitter: Diam: 8" Height: 4 3/4"
N	 ADH Art Deco Wall Shield	Fitter: Diam: 8 1/2" Height: 12"	S	 8CHF Frosted Crystal Ribbed Half Cone	Fitter: Diam: 8" Height: 4 3/4"
N	 BFA French Ash Matte White	Fitter: Diam: 4 1/4" Height: 5 1/4"	S	 8CHN Frosted Half Cone	Fitter: Diam: 8" Height: 4 3/4"
N	 BMW Matte White	Fitter: Diam: 4 1/4" Height: 5 1/4"	S	 8CHNE Custom Etched Pattern Half Cone	Fitter: Diam: 8" Height: 4 3/4"
N	 BPS Black Paper Oval Table lamp Shade	Fitter: Diam: 17" Height: 7 1/2"	T	 12CDH Crystal Ribbed Quarter Sphere	Fitter: Diam: 12" Height: 5 3/4"

SHADE CHOICES BY CATEGORIES

Shade Category	Model # Description	Size	Shade Category	Model # Description	Size
T	 12CDHF Frosted Crystal Ribbed Quarter Sphere	Fitter: Diam: 12" Height: 5 3/4"	X	 18GDF Slumped Glass Frosted	Fitter: Diam: 18" Height: 4"
T	 12FDH Frosted Quarter Sphere	Fitter: Diam: 12" Height: 5 3/4"	X	 22GDE Slumped Glass Etched Pattern	Fitter: Diam: 22" Height: 5"
T	 12FDHE Custom Etched Pattern	Fitter: Diam: 12" Height: 5 3/4"	X	 22GDF Slumped Glass Frosted	Fitter: Diam: 22" Height: 5"
U	 15CDH Crystal Ribbed Quarter Sphere	Fitter: Diam: 15" Height: 7 1/4"	X	 24AD Frosted Acrylic Dish	Fitter: Diam: 24" Height: 8"
U	 15CDHF Frosted Crystal Ribbed Quarter Sphere	Fitter: Diam: 15" Height: 7 1/4"	X	 24FAUX Faux Alabaster Acrylic Dish	Fitter: Diam: 24" Height: 8"
U	 15FDH Frosted Quarter Sphere	Fitter: Diam: 15" Height: 7 1/4"	X	 27GDE Slumped Glass Etched Pattern	Fitter: Diam: 27" Height: 7"
U	 15FDHE Frosted Quarter Sphere with Etched Pattern	Fitter: Diam: 15" Height: 7 1/4"	X	 27GDF Slumped Glass Frosted	Fitter: Diam: 27" Height: 7"
V	 13CRH Crystal Ribbed ADA Compliant	Fitter: Diam: 13" Height: 6 1/2"	X	 36AD Frosted Acrylic Dish	Fitter: Diam: 36" Height: 10"
V	 13CRHF Frosted Crystal Ribbed ADA Compliant	Fitter: Diam: 13" Height: 6 1/2"	X	 36FAUX Faux Alabaster Acrylic Dish	Fitter: Diam: 36" Height: 10"
V	 13FDH Frosted w/o ribs ADA Compliant	Fitter: Diam: 13" Height: 6 1/2"	X	 48AD Frosted Acrylic Dish	Fitter: Diam: 48" Height: 12"
V	 13FDHE Custom Etched Pattern ADA Compliant	Fitter: Diam: 13" Height: 6 1/2"	X	 48FAUX Faux Alabaster Acrylic Dish	Fitter: Diam: 48" Height: 12"
W	 13FB Fish Bowl	Fitter: Diam: 13" Height: 4 1/4"			
W	 14HD Hydranga Dish	Fitter: Diam: 14" Height: 4 1/2"			
W	 14GD Grape Dish	Fitter: Diam: 14" Height: 4 3/4"			
X	 18GDE Slumped Glass Etched Pattern	Fitter: Diam: 18" Height: 4"			

